

CHEF BASES

Side Mounted Condensing Unit



ECB – Series

- ECB52D2 • ECB52-60D2 • ECB72D4
- ECB82D4 • ECB82-84D4 • ECB82-86D4 • ECB96D4



ECB52D2



ECB52-60D2



ECB72D4



ECB82D4



ECB82-84D4



ECB82-86D4



ECB96D4

Cabinet Construction

Heavy duty stainless steel interior and exterior, with galvanized steel finished bottom and back wall of exterior. High quality 15 gauge stainless steel worktop. 2.5" thick high density foamed-in-place polyurethane insulation. Four (or six) 4" diameter casters (front casters with brakes) with additional front weight support legs. 12 gauge sheet metal caster brackets installed at bottom of cabinet to support heavy weight on worktop. Air chamber vent system and high heat insulation tech-mat layer allow worktop surface to withstand up to 500°F which eliminates warping and bubbling of sheet metal from prolonged exposure to high temperatures. Durable stainless steel corner guards mounted on the top surface prevent cooking equipment from accidentally sliding off the unit. Heavy duty stainless steel top surface grips for easy and safe maneuverability of the unit.

Refrigeration System

- Side mounted condensing unit for large compartment use for drawers
- Oversized condenser and evaporator coils quickly achieve and maintain desired temperature
- Forced-air cooling with two (or three) evaporator fan motors providing balanced airflow throughout cabinet to ensure faster temperature drop
- Removable side panel and slide-out condensing unit for convenient repair and maintenance
- Removable condenser coil air filter for easy cleaning
- Environmentally friendly CFC free R-134A refrigerant
- Air defrost, time initiated and terminated
- Copper tube and aluminum fin evaporator with anti-corrosive coating
- Energy efficient condensate drain pan assembly heated by high side copper tube
- Pressure relief port for rapid cabinet re-entry
- Pre-wired and ready to plug, 115V/60Hz/1Ph, NEMA 5-15P

Drawers

- Heavy duty stainless steel interior and exterior
- Heavy duty 304 stainless steel drawer frames with low-friction ball bearing slides
- 2" thick foamed-in-place polyurethane insulation
- One piece snap-in drawer gaskets for easy replacement
- Heavy duty recessed drawer handles for a flat surface
- Sanitary polycarbonate full size pans (*Note: refer to website for pan configurations*)

Temperature Control

- Factory preset temperature, 35°F
- Temperature setting range from 33°F to 54°F
- Easy to read digital temperature display
- Easy to program push button temperature control
- Microchip digital control and monitoring system with a variety of functions to monitor and maintain optimum temperature

• Project / Customer _____
• Item No. _____
• Model No. _____

Warranty

5 Year — Compressor Warranty
3 Year — Parts & Labor Warranty
Applicable to units purchased after July 1, 2014.

Contact

201 W. Artesia Blvd, Compton, CA 90220
T. (310) 323-6586, (800) 444-6285
F. (310) 323-7524, (310) 761-1127

CHEF BASES

Side Mounted Condensing Unit








ECB – Series

- ECB52D2 • ECB52-60D2 • ECB72D4
- ECB82D4 • ECB82-84D4 • ECB82-86D4 • ECB96D4

www.EVERESTref.com

Dimensions

SIDE VIEW



Model	Ref/ Frz/ Dual	# of Drawers	# of Pans	HP	Refrigerant	Power (V-Hz-Ph)	Amps	Max. Weight Support Capacity (LBS)	Crated Weight (LBS)	Exterior Dimensions (Inches)			* Height does not include 5" for casters † Depth does not include 1" for stainless steel grip Ref = Refrigerator Frz = Freezer Dual = Ref & Frz Combo
										L	D†	H*	
ECB52D2	Ref	2	1 X 6	1/4	R-134A	115-60-1	3.90	717	302	52 1/4	32	20	
ECB52-60D2	Ref	2	1 X 6	1/4	R-134A	115-60-1	3.90	717	320	60	32	20	
ECB72D4	Ref	4	1 X 8	1/4	R-134A	115-60-1	5.20	1,084	408	72 1/4	32	20	
ECB82D4	Ref	4	1 X 10	1/3	R-134A	115-60-1	6.00	1,084	465	82 1/4	32	20	
ECB82-84D4	Ref	4	1 X 10	1/3	R-134A	115-60-1	6.00	1,084	450	84	32	20	
ECB82-86D4	Ref	4	1 X 10	1/3	R-134A	115-60-1	6.00	1,084	462	86 1/4	32	20	
ECB96D4	Ref	4	1 X 12	1/3	R-134A	115-60-1	6.00	1,434	478	95 1/2	32	20	

Disclaimer: Product dimensions are for general purposes and not absolute value. Slight variations may exist. If dimensions are critical, please contact Everest.