Hot and Cold Pans



Features

Single control switch for changing from hot to cold operation.

Flexible 24" long conduit connects stainless steel control panel for optional counter mounting.
Units are designed for installation into a wood or metal counter

Refrigerated Cold Pan Operation

Adjustable pan supports lower inset pan 3" to comply with NSF-7 performance requirements and allows a layer of cold air to insulate

food, keeping it colder and fresher.

Air-cooled condensing unit ha s R-134-A (HRCP7200) and R-404-A (all others) both are CFC free.

Drop-in, refrigerated cold pan is designed to hold pre-chilled products

at a pre-set serving temperature.

Easy access to temperature and function controls.
Fully insulated cold pans are supplied with cooling coils on both the bottom sides for greater efficiency.

Larger compressor on unit provides quicker refrigeration.

Bain Marie Warmer Operation

- All models have the automatic water fill system (AF) that maintains the proper water level in each pan through the use of a water sensor and solenoid valve.
- Electric immersion heating system directly transfers heat to the water. Interior and top flange is heavy-duty (18 gauge) stainless steel for maximum strength and durability.
 The unit has a large 1-inch drain with screen.

Adapter bars are included with each unit to allow the use of a variety of different sized pans.

Warming feature designed for wet operation only.





Please Call for special price: 877-386-7766

Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	or 415-332-5
	COD INS	Hot/Cold Wells for 12" x 20" Pans NSF 7				
HRCP7100	N/A	One pan, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	19-1/8 × 27-1/8	175	11.3	\$8,495.00
HRCP7200	22840	Two pans, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	32-3/4 × 27-1/8	220	18.3	\$8,890.00
HRCP7300	22841	Three pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 14.4/16.7A, 1Ø (COLD) 115V, 1/3HP, 5.6A, 1Ø, 404A refrigerant	46-1/2 × 27-1/8	240	25.8	\$ 9,290.00
HRCP7400	22842	Four pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 18.1/20.8A, 1Ø (COLD) 115V, 1/2HP, 6.4A, 1Ø, 404A refrigerant	60-1/4 × 27-1/8	275	33.3	\$10,315.00
HRCP-7500	22843	Five pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0W, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.2A, IØ, 404A refrigerant	74 × 27-1/8	298	41.0	\$11,415.00
HRCP7600	22844	Six pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0W, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.2A, IØ, 404A refrigerant	87-3/4 × 27-1/8	320	47.8	\$11,615.00
(UL)	CODIS	NEW Dual Temperature Slim Lines 12" x	20" Pans N	ISF 7		
HRCP7200SL	N/A	Two pans, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	49 x 19-1/8	220	18.26	\$9,825.00
HRCP7300SL	N/A	Three pans, (HOT) 404A Refrigerant, 208/240V, 3.0/4.0W, 14.4/16.7A, 1Ø (COLD) 115V, 1/3HP, 5.5A, 1Ø, 404A refrigerant	70 x 19-1/8	240	25.78	\$10,220.00
HRCP7400SL	N/A	Four pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 18.1/20.8A, 1Ø (COLD) 115V, 1/2HP, 8.9A, 1Ø, 404A refrigerant	92 x 19-1/8	275	33.3	\$11,575.00
(UL)	COD INS	NEW Dual Temperature Slim Line, Slope	Top 12" x	20" Pa	ns NS	F 7
HRCP7200SLST	N/A	Two pans, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	49 x 19-1/8	220	18.26	\$10,290.00
HRCP7300SLST	N/A	Three pans, (HOT) 404A Refrigerant, 208/240V, 3.0/4.0W, 14.4/16.7A, 1Ø (COLD) 115V, 1/3HP, 5.5A, 1Ø, 404A refrigerant	70 × 19-1/8	240	25.78	\$10,700.00
HRCP7400SLST	N/A	Four pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 18.1/20.8A, 1Ø (COLD) 115V, 1/2HP, 8.9A, 1Ø, 404A refrigerant	92 x 19-1/8	275	33.3	\$12,125.00



Hot and Cold Pans

Features

- Single control switch for changing from hot to cold operation.
- Flexible 24" long conduit connects stainless steel control panel for optional counter mounting.
- Units are designed for installation into a wood or metal counter fixture.

Refrigerated Cold Pan Operation

- Adjustable pan supports lower inset pan 3" to comply with NSF-7 performance requirements and allows a layer of cold air to insulate food, keeping it colder and fresher.
- Air-cooled condensing unit has R-134-A (HRCP7200) and R-404-A (all others) both are ČFC free.
- Drop-in, réfrigerated cold pan is designed to hold pre-chilled products at a pre-set serving temperature.
- Easy access to temperature and function controls.
- Fully insulated cold pans are supplied with cooling coils on both the bottom sides for greater efficiency.
- Larger compressor on unit provides quicker refrigeration. Bain Marie Warmer Operation

- All models have the automatic water fill system (AF) that maintains the proper water level in each pan through the use of a water sensor and solenoid valve.
- Electric immersion heating system directly transfers heat to the water.
- Interior and top flange is heavy-duty (18 gauge) stainless steel for maximum strength and durability.
- The unit has a large I-inch drain with screen.
- Adapter bars are included with each unit to allow the use of a variety of different sized pans.
- Warming feature designed for wet operation only.



HRCP7300ST



U.S.A.

Please Call for special price: 877-386-7766 -5840

Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	415-332-
	CODUS	NEW 4-3rd Size Pans - Dual Temperature NS	SF 7			
HRCP7143	N/A	One pan, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, IØ (COLD) 115V, 1/4HP, 3.9A, IØ, 134A refrigerant	19-1/8 x 34-1/4	115	11.3	\$9,680.00
HRCP7243	N/A	Two pans, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 3.9A, 1Ø, 134A refrigerant	32-3/4 × 34-1/4	140	18.3	\$ 11,320.00
HRCP7343	N/A	Three pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 14.4/16.7A, 1Ø (COLD) 115V, 1/3HP, 6.2A, 1Ø, 404A refrigerant	46-1/2 × 34-1/4	175	25.8	\$14,550.00
HRCP7443	N/A	Four pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 18.1/20.8A, 1Ø (COLD) 115V, 1/2HP, 7.0A, 1Ø, 404A refrigerant	60-3/4 × 34-1/4	210	33.3	\$16,300.00
HRCP7543	N/A	Five pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0VV, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.8A, IØ, 404A refrigerant	74 × 34-1/4	245	41.0	\$20,000.00
HRCP7643	N/A	Six pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0W, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.8A, IØ, 404A refrigerant	87-3/4 × 34-1/4	285	47.8	\$21,600.00
(UL)	COD US	NEW Dual Temperature 12" x 20" Pans, Slo	ppe Top, NSF 7			
HRCP7100ST	N/A	One pan, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, IØ (COLD) 115V, 1/4HP, 4.9A, IØ, 134A refrigerant	19-1/8 × 27-1/8	175	11.3	\$10,100.00
HRCP7200ST	N/A	Two pans, (HOT) 134A Refrigerant, 208/240V, 1.9/2.5W, 9.0/10.4A, 1Ø (COLD) 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	32-3/4 × 27-1/8	220	18.3	\$10,900.00
HRCP7300ST	N/A	Three pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0W, 14.4/16.7A, 1Ø (COLD) 115V, 1/3HP, 5.6A, 1Ø, 404A refrigerant	46-1/2 × 27-1/8	240	25.8	\$11,350.00
HRCP7400ST	N/A	Four pans, (HOT) 404A Refrigerant, 208/240V, 3.8/5.0VV, 18.1/20.8A, 1Ø (COLD) 115V, 1/2HP, 6.4A, 1Ø, 404A refrigerant	60-1/4 × 27-1/8	275	33.3	\$12,600.00
HRCP7500ST	N/A	Five pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0VV, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.2A, IØ, 404A refrigerant	74 x 27-1/8	298	41.0	\$13,400.00
HRCP7600ST	N/A	Six pans, (HOT) 404A Refrigerant, 208/240V, 6.0/8.0W, 28.9/33.3A, IØ (COLD) 115V, 3/4HP, 15.2A, IØ, 404A refrigerant	87-3/4 × 27-1/8	320	47.8	\$14,000.00

Drop-In Refrigerated Cold Pans



Features

- Drop-in, refrigerated cold pan are designed to hold pre-chilled products at serving temperature.

 Each pan has a large I-inch drain located in the center for easy cleaning. Self-contained unit comes with an ON/OFF switch and cord set for easy

- Air-cooled condensing unit has R-134-A, which is CFC free.
- Fully insulated cold pans are refrigerated on all sides and bottom for
- Recessed top edges lowers inset pan, keeping food colder and fresher. Each unit's interior and top is heavy gauge (18 gauge) stainless steel for maximum strength and durability.
- Optional perforated bottom stainer plate will conveniently hold ice above drain to avoid clogging.
- NSF approved for holding bottled products and non-potentially hazardous foods.





price: '66

Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	877-386-7766 or
	C(U) US	Refrigerated Wells for 12" x 20" Pans N	NSF 2			415-332-5840
RCP100	22087	One pan, R-134-A refrigerant, 115V, 1Ø, 1/5 HP, 2.8A, NEMA-5-15P	17-3/8 x 25-3/8	89	9.5	\$3,500.00
RCP200	22088	Two pans, R-134-A refrigerant, 115V 1Ø, 1/5 HP, 2.8A, NEMA-5-15P	31 × 25-3/8	182	16.0	\$3,870.00
RCP300	22089	Three pans, R-404-A refrigerant, 115V, 1Ø, 1/4 HP, 5.5A, NEMA-5-15P	44-3/4 × 25-3/8	194	23.0	\$4,100.00
RCP400	22090	Four pans, R-404-A refrigerant, 115V 1Ø, 1/3 HP, 6.5A, NEMA-5-15P	58-1/2 x 25-3/8	258	30.0	\$4,440.00
RCP500	22091	Five pans, R-404-A refrigerant, 115V 1Ø, 1/2 HP, 6.4A, NEMA-5-15P	72-1/4 x 25-3/8	278	36.5	\$5,000.00
RCP600	22092	Six pans, R-404-A refrigerant, 115V, 1Ø, 1/2 HP, 6.4A, NEMA-5-15P	86 × 25-3/8	290	43.5	\$5,150.00
(UL)	COLOUS	NEW RCP Slim Lines, NSF Series 2				
RCP200SL	N/A	Two pans, 134A refrigerant, 115V, 1/4 HP, 4.9A, 1Ø NEMA 5-15P	46-1/4 x 17-3/8	182	16	\$4,700.00
RCP300SL	N/A	Three pans, 134A refrigerant, 115V, 1/3 HP, 5.6A, 1Ø NEMA 5-15P	67 × 17-3/8	194	23	\$5,240.00
RCP400SL	N/A	Four pans , 404A refrigerant, 115V, 1/2 HP, 6.4A, 1Ø NEMA 5-15P	87-3/4 x 17-3/8	258	30	\$5,380.00
(VL)	C(U) US	NEW RCP Slim Line, Slope Top, NSF Series	2			
RCP200SLST	N/A	Two pans, 134A refrigerant, 115V, 1/4 HP, 4.9A, 1Ø NEMA 5-15P	46-1/4 x 17-3/8	182	16	\$5,480.00
RCP300SLST	N/A	Three pans, 134A refrigerant, 115V, 1/3 HP, 5.6A, 1Ø NEMA 5-15P	67 x 17-3/8	194	23	\$6,080.00
RCP400SLST	N/A	Four pans , 404A refrigerant, 115V, 1/2 HP, 6.4A, 1Ø NEMA 5-15P	87-3/4 × 17-3/8	258	30	\$6,280.00
(UL)	COD US	NEW RCP Series 7 Slope Tops, 12" x 20" Pa	ns NSF 2			
RCP100ST	N/A	One pan, 134A refrigerant, 115V, 1/5HP, 5.5A, 1Ø, NEMA 5-15P	19-1/8 × 27	89	9.5	\$4,470.00
RCP200ST	N/A	Two pans 134A refrigerant, 115V, 1/5HP, 5.5A, 1Ø, NEMA 5-15P	31-7/8 × 27	182	16.0	\$5,180.00
RCP300ST	N/A	Three pans 134A refrigerant, 115V, 1/4HP, 5.5A, 1Ø, NEMA 5-15P	44-3/4 × 27	194	23.0	\$5,740.00
RCP400ST	N/A	Four pans 404A refrigerant, 115V, 1/3HP, 5.6A, 1Ø, NEMA 5-15P	57-3/8 × 27	258	30.0	\$5,930.00
RCP500ST	N/A	Five pans 404A refrigerant, 115V, 1/2HP, 6.4A, 1Ø, NEMA 5-15P	70-1/8 × 27	278	36.5	\$6,500.00
RCP600ST	N/A	Six pans 404A refrigerant, 115V, 1/2HP, 6.4A, 1Ø, NEMA 5-15P	82-7/8 × 27	290	43.5	\$6,900.00
(UL)	COLOUS	NEW 4-3rd Size Standard Deep Depth Col	d Pans NSF 2			
RCP143	N/A	One pan, 134A refrigerant, 115V, 1/4HP, 4.9A, 1Ø, NEMA 5-15P	17-3/8 x 32-1/2	114	11.6	\$5,570.00
RCP243	N/A	Two pans 134A refrigerant, 115V, 1/4HP, 4.9A, 1Ø, NEMA 5-15P	31 x 32-1/2	232	20.2	\$5,900.00
RCP343	N/A	Three pans 404A refrigerant, 115V, 1/3HP, 5.6A, 1Ø, NEMA 5-15P	44-5/8 x 32-1/2	269	28.8	\$7,680.00
RCP443	N/A	Four pans 404A refrigerant, 115V, 1/2HP, 6.4A, 1Ø, NEMA 5-15P	58-1/4 × 32-1/2	358	37.4	\$8,050.00
RCP543	N/A	Five pans 404A refrigerant, 115V, 3/4HP, 7.2A, 1Ø, NEMA 5-15P	71-7/8 x 32-1/2	403	46. I	\$9,500.00
RCP643	N/A	Five pans 404A refrigerant, 115V, 3/4HP, 7.2A, 1Ø, NEMA 5-15P	85-1/2 x 32-1/2	440	54.7	\$9,840.00

Available without compressor - contact factory | Remote models available - contact factory Export models available, contact factory for details and pricing.



Drop-In Refrigerated Cold Pans

Features

Drop-in, refrigerated cold pan are designed to hold pre-

chilled products at serving temperature.
Each pan has a large I-inch drain located in the center for easy cleaning.
Self-contained unit comes with an ON/OFF switch and cord

Self-contained unit comes with an ON/OFF switch and cord set for easy installation.

Air-cooled condensing unit has R-134-A, which is CFC free. Fully insulated cold pans are refrigerated on all sides and bottom for greater efficiency.

Recessed top edges lowers inset pan 3" to comply with NSF-7 performance requirements and allows a layer of air to insulate food, keeping food colder and fresher.

Each unit's interior and top is heavy gauge (18 gauge) stainless steel for maximum strength and durability. Optional perforated bottom stainer plate will conveniently hald is a place drain to avoid closure.

hold ice above drain to avoid clogging.



						or	
Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	415-332	-584
(h	CODUS	Refrigerated Wells for 12" x 20" Pans -	NSF 7				
RCP7100	22449	One pan, 134A refrigerant, 115V, 4.9A, 1Ø, 1/4 HP, NEMA 5-15P	19-1/8 × 27-1/8	115	11.3	\$3,800.00	
RCP7200	22450	Two pans, I34A refrigerant, I15V, 4.9A, IØ, I/4 HP, NEMA 5-I5P	32-3/4 × 27-1/8	140	18.3	\$4,500.00	
RCP7300	22451	Three pans, 404A refrigerant, 115V, 5.6A, 1Ø, 1/2 HP, NEMA 5-15P	46-1/2 × 27-1/8	175	25.8	\$4,600.00	
RCP7400	22452	Four pans, 404-A refrigerant, 115V, 6.4A, 1Ø, 1/2 HP, NEMA 5-15P	60-1/4 × 27-1/8	210	33.3	\$4,830.00	
RCP7500	22453	Five pans, 404A refrigerant, 115V, 15.2A, 1Ø, 3/4 HP, NEMA 5-20P	74 × 27-1/8	245	41.0	\$5,270.00	
RCP7600	22454	Six pans, 404A refrigerant, 115V, 15.2A, 1Ø, 3/4 HP, NEMA 5-20P	87-3/4 × 27-1/8	285	47.8	\$5,900.00	
$\bigcup_{\mathbb{R}}$	CULUS	NEW RCP Slim Line, 12" x 20" Pans, NSF 7					
RCP7200SL	N/A	Two pans, 404A refrigerant, 115V, 1/4 HP, 4.9A, 1Ø NEMA 5-15P	49 x 19-1/8	220	18.26	\$5,020.00	
RCP7300SL	N/A	Three pans, 404A refrigerant, 115V, 1/3 HP, 5.6A, 1Ø NEMA 5-15P	70-1/2 x 19-1/8	240	25.78	\$5,530.00	
RCP7400SL	N/A	Four pans , 404A refrigerant, 115V, 1/2 HP, 6.4A, 1Ø NEMA 5-15P	92 x 19-1/8	275	33.3	\$5,750.00	
$(V_{\mathbb{R}})$	CODIS	NEW RCP Slim Line, Slope Top, 12" x 20" Pa	ns, NSF 7				
RCP7200SLST	N/A	Two pans, 404A refrigerant, 115V, 1/4 HP, 4.9A, 1Ø NEMA 5-15P	49 x 19-1/8	220	18.26	\$5,800.00	
RCP7300SLST	N/A	Three pans, 404A refrigerant, 115V, 1/3 HP, 5.6A, 1Ø NEMA 5-15P	70-1/2 x 19-1/8	240	25.78	\$6,390.00	
RCP7400SLST	N/A	Four pans , 404A refrigerant, 115V, 1/2 HP, 6.4A, 1Ø NEMA 5-15P	92 x 19-1/8	275	33.3	\$6,650.00	
\bigcirc L	CODUS	NEW RCP Slope Tops, 12" x 20" Pans, NSF 7					
RCP7100ST	N/A	One pan 134A refrigerant, 115V, 1/4HP, 5.5A, 1Ø, NEMA 5-15P	17-1/8 x 25-1/8	115	11.3	\$4,850.00	
RCP7200ST	N/A	Two pans 134A refrigerant, 115V, 1/4HP, 5.5A, 1Ø, NEMA 5-15P	29-7/8 x 25-1/8	140	18.3	\$5,480.00	
RCP7300ST	N/A	Three pans 404A refrigerant, 115V, 1/3HP, 6.5A, 1Ø, NEMA 5-15P	42-5/8 × 25-1/8	175	25.8	\$6,030.00	
RCP7400ST	N/A	Four pans 404A refrigerant, 115V, 1/2HP, 7.5A, 1Ø, NEMA 5-15P	55-3/8 × 25-1/8	210	33.3	\$6,280.00	
RCP7500ST	N/A	Five pans 404A refrigerant, 115V, 3/4HP, 15.8A, 1Ø, NEMA 5-20P	68-1/8 x 25-1/8	245	41.0	\$6,800.00	
RCP7600ST	N/A	Six pans 404A refrigerant, 115V, 3/4HP, 15.8A, 1Ø, NEMA 5-20P	80-7/8 × 25-1/8	285	47.8	\$7,440.00	
(U_L)	CODUS	NEW 4-3rd Size Cold Pans NSF 7					
RCP7143	N/A	One pan 134A refrigerant, 115V, 1/4HP, 5.5A, 1Ø, NEMA 5-15P	19-1/8 × 34-1/4	115	11.3	\$5,960.00	
RCP7243	N/A	Two pans 134A refrigerant, 115V, 1/4HP, 5.5A, 1Ø, NEMA 5-15P	32-3/4 × 34-1/4	140	18.3	\$6,350.00	
RCP7343	N/A	Three pans 404A refrigerant, 115V, 1/2HP, 6.5A, 1Ø, NEMA 5-15P	46-1/2 × 34-1/4	175	25.8	\$8,150.00	
RCP7443	N/A	Four pans 404A refrigerant, 115V, 1/2HP, 7.5A, 1Ø, NEMA 5-15P	60-1/4 × 34-1/4	210	33.3	\$8,550.00	
RCP7543	N/A	Five pans 404A refrigerant, 115V, 3/4HP, 15.8A, 1Ø, NEMA 5-20P	74 × 34-1/4	245	41.0	\$10,050.00	
RCP7643	N/A	Six pans 404A refrigerant, 115V, 3/4HP, 15.8A, 1Ø, NEMA 5-20P	87-3/4 × 34-1/4	285	47.8	\$10,400.00	

Available without compressor - contact factory | Remote models available - contact factory Accessories Page 71 Export models available, contact factory for details and pricing.

Drop-In Ice-Cooled Pans



Features

- Drop-in, ice cooled display cold pans are designed to hold pre-chilled products at serving temperature.
- Perforated bottom strainer plate conveniently holds ice above drain to prevent clogging.
- Each pan has a large I-inch drain located in the center for easy cleaning.
- Recessed top edges lowers inset pan, keeping food colder and fresher.
- Adapter bars are included with each unit to allow use of a variety of different sizes pans.
- Each pan is heavy duty stainless steel for maximum strength and durability.
- The ICP series Ice-cooled pans meet the National Sanitation Fountain standard 2.



Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	415-332-5
	NSF	Ice-Cooled Wells for 12" x 20" Pans				
ICP100	22093	One pan	17-3/8 x 25-3/8	89	9.5	\$1,210.00
ICP200	22094	Two pans	31 × 25-3/8	182	16	\$1,420.00
ICP300	22095	Three pans	44-3/4 × 25-3/8	194	23	\$1,660.00
ICP400	22096	Four pans	58-1/2 × 25-3/8	258	30	\$1,940.00
ICP500	22097	Five pans	72-1/4 x 25-3/8	278	36.5	\$2,160.00
ICP600	22098	Six pans	86 × 25-3/8	290	43.5	\$2,470.00
	NSF	NEW Ice Pans, Slim Lines				
ICP200SL	N/A	Two pans, slim	46-1/4 × 17-3/8	182	9.2	\$1,770.00
ICP300SL	N/A	Three pans, slim	67 x 17-3/8	194	13.3	\$2,020.00
ICP400SL	N/A	Four pans, slim	87-3/4 × 17-3/8	258	17.4	\$2,390.00
	NSF	NEW Ice Pans, Slim Line, Slope Top				
ICP200SLST	N/A	Two pans, slim	46-1/4 × 17-3/8	182	9.2	\$2,060.00
ICP300SLST	N/A	Three pans, slim	67 x 17-3/8	194	13.3	\$2,350.00
ICP400SLST	N/A	Four pans, slim	87-3/4 × 17-3/8	258	17.4	\$2,790.00
	NSF	NEW Ice Pans, Slope Tops				
ICP100ST	N/A	One pan, slope top	17-3/8 × 25-3/8	89	9.5	\$1,650.00
ICP200ST	N/A	Two pans, slope top	31 × 25-3/8	182	16.0	\$1,950.00
ICP300ST	N/A	Three pans, slope top	44-3/4 × 25-3/8	194	23.0	\$2,220.00
ICP400ST	N/A	Four pans, slope top	58-1/2 × 25-3/8	258	30.0	\$2,640.00
ICP500ST	N/A	Five pans, slope top	72-1/4 × 25-3/8	278	36.5	\$3,010.00
ICP600ST	N/A	Six pans, slope top	86 × 25-3/8	290	43.5	\$3,270.00
	NSF	NEW Ice Pans, Counter Tops				
ICP-CTI	N/A	One Pan Counter Top with drain	16 1/16 × 24	89	9.5	\$1,850.00
ICP-CT2	N/A	Two Pan Counter Top with drain	28 ³ / ₄ × 24	182	16	\$2,150.00



Features

- Self contained drop-in design
- Hold standard 18" by 26" sheet pans or $\frac{1}{2}$ size pans
- 18 gauge stainless steel top and liner for maximum strength and durability
- I" drains for ease of cleaning
- On-off switch with 8 ft. cord & plug for ease of installation and operation
- Type I34A CFC free refrigerant
- Fully insulated, CFC free, foamed-in place for energy savings
- Full parameter drip trough with drains
- Quick & easy service with sight glass, service valves, filter/dryer and receiver
- Slim line available
- Limited I year parts & labor warranty



877-386-7766

-5840

Model Number	Part Number	Description	Size W x D (in)	Ship Weight	Cubic Feet	415-332-
c@us	NSF	NEW Frost Tops				
FT-I	N/A	One pan, 115V, 1/4HP, 4.9A, 1Ø, NEMA 5-15P, 134A refrigerant	21-1/4 × 29-1/4	103	9.6	\$5,350.00
FT-2	N/A	Two pans, 115V, 1/4HP, 4.9A, 1Ø, NEMA 5-15P, 134A refrigerant	39-1/4 × 29-1/4	125	17.2	\$5,700.00
FT-3	N/A	Three pans, 115V, 1/3HP, 5.6A, 1Ø, NEMA 5-15P, 404A refrigerant	57-1/4 × 29-1/4	140	24.8	\$6,550.00
FT-4	N/A	Four pans, 115V, 1/2HP, 6.4A, 1Ø, NEMA 5-15P, 404A refrigerant	75-1/4 × 29-1/4	155	32.4	\$7,900.00
FT-5	N/A	Five pans, 115V, 3/4HP, 15.2A, 1Ø, NEMA 5-20P, 404A refrigerant	93-1/4 × 29-1/4	170	40	\$9,250.00
FT-6	N/A	Five pans, 115V, 3/4HP, 15.2A, 1Ø, NEMA 5-20P, 404A refrigerant	111-1/4 x 29-1/4	187	47.6	\$9,700.00
cU _D US	NSF	NEW Frost Tops, Slim Lines				
FT-2SL	N/A	Two pans, 115V, 1/4HP, 4.9A, 1Ø, 134A refrigerant	55-1/4 × 21-1/4	105	19.2	\$6,200.00
FT-3SL	N/A	Three pans, 115V, 1/3HP, 5.6A, 1Ø, 404A refrigerant	81-1/4 × 21-1/4	119	28	\$7,550.00
FT-4SL	N/A	Four pans, 115V, 1/2HP, 6.4A, 1Ø, 404A refrigerant	107-1/4 × 21-1/4	142	36.8	\$9,000.00

Export models available, contact factory for details and pricing.

ACCESSORIES

Part Number	Description	Ship Weight	Price
22106	Divider Bar, 209 for RCP or ICP (I piece)	2	\$95.00
22107	Perforated Bottom Strainer Plate, for RCP100 or ICP100 (1 piece)	5	\$265.00
22108	Perforated Bottom Strainer Plates, I" thick, for RCP200 or ICP200 (2 pieces)	11	\$315.00
22109	Perforated Bottom Strainer Plates, I" thick, for RCP300 or ICP300 (2 pieces)	14	\$450.00
22110	Perforated Bottom Strainer Plates, I" thick, for RCP400 or ICP-400 (2 pieces)	18	\$535.00
22111	Perforated Bottom Strainer Plates, I" thick, for RCP500 or ICP-500 (2 pieces)	26	\$695.00
22112	Perforated Bottom Strainer Plates, I" thick, for RCP600 or ICP600 (3 pieces)	24	\$875.00
23199	Perforated Bottom Strainer Plate, 3" thick, for HRCP7200 or RCP7200 (I piece)	11	\$485.00
23200	Perforated Bottom Strainer Plates, 3" thick, for HRCP7300 or RCP7300 (2 pieces)	14	\$565.00
23201	Perforated Bottom Strainer Plates, 3" thick, for HRCP7400 or RCP7400 (2 pieces)	48	\$695.00
23202	Perforated Bottom Strainer Plates, 3" thick, for HRCP7500 or RCP7500 (2 pieces)	60	\$695.00
22696	Pan Rail, For RCP7100	3	\$140.00
22697	Pan Rail, For RCP7200	6	\$150.00
22698	Pan Rail, For RCP7300	9	\$155.00
22699	Pan Rail, For RCP7400	12	\$160.00
22700	Pan Rail, For RCP7500	15	\$170.00
22701	Pan Rail, For RCP7600	18	\$180.00
N/A	6' extended lead for remote mounting of on/off switch RCPs only	-	\$340.00
N/A	6' extended lead for remote mounting of control panel for HRCPs only (3' lead standard)	-	\$440.00
WEL I	EXTENDED WARRANTY/LABOR - 2nd Year Parts & Labor - NET Price - NO discounts, can only be purchased at point of sale	-	\$355.00
WEL 5	Extended Warranty - 5 year Compressor (4 additional years) - NET Price - NO discounts, can only be purchased at point of sale	-	\$165.00
Export Models	Contact factory for details and pricing	-	Contact Wells